L Number	Hits	Search Text	DB	Time stamp
-	5548	(load with balanc$5) and server$1 and network$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:27
-	1726	((load with balanc$5) and server$1 and network$3) and @ad<19990930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:28
-	41	(((load with balanc$5) and server$1 and network$3) and @ad<19990930) and (through adj put)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:08
-	548	(((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:24
-	358	((((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:09
-	187	(((((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)) and session	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:10
-	165	((((((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)) and session) and (respons$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:11
-	165	(((((((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)) and session) and (respons$2)) and time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:11
-	14	((((((((load with balanc$5) and server$1 and network$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)) and session) and (respons$2)) and time) and (load with balanc$5).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:39
-	1011	(TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO TAKAHASHI-EIJI TAKAHASHI-EIKI TAKAHASHI-EIZI).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:42
-	1125	(YOKOYAMA-KEN YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI YOKOYAMA-KENJI YOKOYAMA-KENJIRO YOKOYAMA-KENZO YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:43
-	141	(TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI TAMURA-NAOHIRO).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:47
-	104	(((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO TAKAHASHI-EIJI TAKAHASHI-EIKI TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI YOKOYAMA-KENJI YOKOYAMA-KENJIRO YOKOYAMA-KENZO YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.) ((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI TAMURA-NAOHIRO).in.)) and fujitsu.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:48
-	2	((((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO TAKAHASHI-EIJI TAKAHASHI-EIKI TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI YOKOYAMA-KENJI YOKOYAMA-KENJIRO YOKOYAMA-KENZO YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.) ((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI TAMURA-NAOHIRO).in.)) and fujitsu.as.) and (((load with balanc$5) and server$1 and network$3) and @ad<19990930)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 18:50

-	1730	(((load with balanc$5) and server$1 and network$3) and @ad<19990930)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:24
-	227	((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:25
-	209	(((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:27
-	206	((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and service	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:38
-	122	((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:28
-	85	(((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)) and (server with log$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:28
-	82	((((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)) and (server with log$4)) and (simulat$5 or model$5 or emulat$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:29
-	0	((((((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)) and (server with log$4)) and (simulat$5 or model$5 or emulat$5)) and (service adj log) and (server adj log)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	59	((((((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)) and (server with log$4)) and (simulat$5 or model$5 or emulat$5)) and (service with log) and (server with log)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	4	((((((((((load with balanc$5) and server$1 and network$3) and @ad<19990930)) and packet and captur$4) and log$4) and (service with log$4)) and (server with log$4)) and (simulat$5 or model$5 or emulat$5)) and (service near3 log) and (server near3 log)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	5559	(load with balanc$5) and server$1 and network$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:48
-	4995	((load with balanc$5) and server$1 and network$3) and service	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:39
-	6	(((load with balanc$5) and server$1 and network$3) and service) and ((mean or median) same (session with (length or time or span or duration)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:30
-	2	((((load with balanc$5) and server$1 and network$3) and service) and ((mean or median) same (session with (length or time or span or duration)))) and @ad<19990930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:39
-	17345	(simulat$7 or emulat$5 or model$5) and (load) and server$1 and network$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:38
-	14237	((simulat$7 or emulat$5 or model$5) and (load) and server$1 and network$3) and service	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:30

-	1	((((simulat$7 or emulat$5 or model$5) and (load) and server$1 and network$3) and service) and ((mean or median) same (session with (length or time or span or duration))))) and @ad<19990930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:31
-	22	((((simulat$7 or emulat$5 or model$5) and (load) and server$1 and network$3) and service) and ((mean or median) same (session with (length or time or span or duration)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:47
-	2814	(((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:03
-	2262	(((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:39
-	877	((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:39
-	0	(((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and ((mean or median) same (session with (length or time or span or duration)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:48
-	385	(((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:01
-	192	((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:02
-	130	(((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)) and ((simulat$7 or emulat$5 or model$5) same (service))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:04
-	107	((((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)) and ((simulat$7 or emulat$5 or model$5) same (service))) and ((simulat$7 or emulat$5 or model$5) with (service))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:06
-	89	(((((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)) and ((simulat$7 or emulat$5 or model$5) same (service))) and ((simulat$7 or emulat$5 or model$5) with (service))) and (packet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:07

-	36	((((((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)) and ((simulat$7 or emulat$5 or model$5) same (service))) and ((simulat$7 or emulat$5 or model$5) with (service))) and (packet adj (size or count))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:11
-	0	09347111.an.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:10
-	0	347111.an.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:10
-	0	((((((((((simulat$7 or emulat$5 or model$5) same (load)) and server$1 and network$3) and service) and @ad<19990930) and (load with (balanc$5 or optimiz$5 or allocat$5 or distribut$5))) and ((identif$& or recogni$5 or determin$5) with service)) and ((simulat$7 or emulat$5 or model$5) same (service))) and ((simulat$7 or emulat$5 or model$5) with (service))) and ((packet adj size) and (packet adj count))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:12